

### TRIDENT

#### **OVERVIEW**

The TFA-Trident, chambered in .308 and optional 6.5 creedmoor. Equipped with the TFA adjustable (3-6lb) single stage trigger, black nitride proprietary BCG and bolt, 7075 billet aluminum upper/lower receiver and TFA M-LOK 18 inch rail set, fixed .750 DI adjustable gas block, 416 stainless steel medium contoured 1:8 twist, rifle-length gas system, magpul ACR Carbine Mil-Spec stock and 30 round Magpul PMAG.



#### SPECS

Barrel Length 18 inch / 20 in Magazine Included Yes Magazine Type (1) 30rd Polymer Mag **Action Type** Semi-Auto **Barrel Material** 416 Stainless Steel Drop-In Adjustable Trigger Collapsed Length 36.5 in / 38.5 in Trigger Weight 3.0 to 6.0 lbs

Forend Type 6061-T6 Billet 18 in lenght Caliber .308 win & 6.5 creedmoor

Twist Ratio 1-8 twist Barrel Threads 5/8 - 24 tpi Polymer Grip Type Receiver Finish Cerakote

41.375 in / 39.375 in Overall Length 1.75 in

7.0 in Overall Height

Overall Width

10.6 lbs / 8.9 lbs Overall Weight

Light Weight





#### HELEN **OVERVIEW** The TFA HELEN chambered in 5.56/.223 WYLDE, was inspired by Helen of Troy and built around her characteristics of strength and beauty. The HELEN was equipped and designed to be the ultimate feature rich light-weight rifle on the market, perfect for shooters who are just getting started, to the most seasoned professional shooter. With our low mass titanium nitride coated bolt carrier with NiB coated bolt, fully adjustable (3lb-6lbs) single stage drop in trigger, match grade TFA Upper/Lower receiver set constructed with 7075 billet aluminum that extends to the rail (7075 aluminum), fully adjustable 3-port TFA muzzle break combined with our proprietary buffer and buffer spring system and .625 Mid-length pencil barrel (incorporated with our proprietary taper to reduce barrel "whip" increasing accuracy) with the TFA adjustable gas block, the HELEN will not disappoint. Proprietary TiN coated lightweight BCG (5.75 oz) with TFA AMBI GEN III a Nickel Boron Mid-length GEN III Free float CHARGING HANDLE coated bolt MFT Battlelink gas system M-LOK rail assembly minimalist stock 0 Adjustable .625" direct impingement Tension screw incorporated CNC machined, 7075-T6 gas block in lower receiver to maintain aircraft billet aluminum tight fit between upper/lower (lower, upper) 5.56/.223 WYLDE chambered 416 stainless barrel with polygonal rifling and 1:8 twist incorporated with our proprietary taper to TFA Enhanced flared reduce barrel "whip" to increase accuracy "Chimera" Gen III polished lower magwell ambi stainless steel safety MAGPUL MOE+ AR15/M4 adjustable PISTOL GRIP muzzle comp TFA fully adjustable MagPul (3-6lb) single stage magazine drop in trigger (Available in straight or curved configuration) SPECS COLORS Black Caliber 5.56/.223 WYLDE Forend Type 6061-T6 Billet 15 in length

16 in (406mm) Barrel Length Mags Included Yes (1) 30rd Polymer Mag Mag Type **Action Type** Semi-Auto 5-Position Telescoping Stock Type 416 Stainless Steel Barrel Material Drop-In Adjustable Trigger Collapsed Length 26.5 in (673mm) 3.0 to 6.0 lbs Trigger Weight 1-8 twist Twist Ratio

Grip Type

Receiver Finish Cerakote Overall Length 37.0 in (939.8mm) Overall Width 1.75 in (44.45mm) 7.0 in [177.8mm] Overall Height

5.65 lbs / 2.56 kg Light Weight Overall Weight 1/2 in - 28 tpi Threads M-LOK Accessory Rail

Operating System Direct Impingement Gas Block Size 0.625 in (internal diameter)

Polymer





### WALL

#### **OVERVIEW**

The TFA Wall, chambered in 5.56 NATO OR .300 Blackout (SPECIAL ORDER ONLY), is inspired by the Walls of Troy, which served as the city's primary defense. As these walls were virtually indestructible surviving a 10-year siege, the TFA Wall mimics the same primary defense and reliability. The WALL is the perfect entry level rifle for anyone wanting an upgraded AR. Equipped with the TFA adjustable (3-6lb) single stage trigger, black nitride BCG NiB bolt, 7075 billet aluminum upper/lower receiver and TFA M-LOK rail set, fixed .750 DI gas block, 4150 chrome moly barrel 1:7 twist, mid-length gas system, magpul CTR stock and 30 round Magpul Pmag.



#### **SPECS**

Barrel Length 16 in (406mm) Magazine Included Yes Magazine Type (1) 30rd Polymer Mag **Action Type** Semi-Auto **Barrel Material** Chromoly Steel Trigger Drop-In Adjustable Collapsed Length

Trigger Weight 3.0 to 6.0 lbs Forend Type

6061-T6 Billet 15 in length

26.5 in (673mm)

**Grip Type** Receiver Finish

**Operating System** 

Cerakote Overall Length 37.0 in (939.8mm) Overall Width 1.75 in (44.45mm) Overall Height 7.0 in (177.8mm) Overall Weight 6.57 lbs (2.98 kg)

MagPul magazine

Accessory Rail MLOK

Direct Impingement

Polymer

#### CONFIG. 1

Caliber Twist Ratio Barrel Threads

5.56 NATO 1-7 twist 1/2 in - 28 tpi





#### HELENX **OVERVIEW** From Queen of Sparta, to the princess of Troy, the Helen X was created around the same classic beauty as our original Helen. The Helen X has a royal touch to capture a true glimpse of her beauty, the face that launched a thousand ships. The upgraded features include a DLC (Diamond Like Coating) BCG, upgraded chrome trigger, enhanced, adjustable cheek rest, as well as our signature TROJAN BLAZE custom cerakote. The Helen X is the ultimate luxury rifle that will enhance any shooters experience on a casual day at the range, to a competitive shooting match with elegant grace and beauty. Please note: FAB defense enhanced cheek rest buttstock needs to be fully extended to the 6th and farthest position away from the receiver to allow clearance for charging handle operation. Buttstock variations available upon request. FAB Defense Proprietary DLC GL-Core CP stock coated lightweight w/ adjustable Gen III ambi charging BCG (5.75 oz) with a Mid-lenath Free-float Gen III cheek riser handle included Nickle Boron coated gas system M-LOK rail bolt assembly Tension set screw with matching lock screw CNC machined, 7075-T6 Adjustable .625 5.56/.223 WYLDE chambered 416 / to maintain tightness of aircraft billet aluminum stainless barrel with polygonal gas block upper and lower match set rifling and 1:8 twist (lower, upper) TFA Enhanced flared "Chimera" lower magwell ambi Gen III polished stainless steel Ergonomic safety adjustable muzzle comp pistol grip TFA fully adjustable (3-6lb) single stage drop in trigger MagPul (Available in straight or magazine curved configuration) TFA competition magazine release

#### SPECS

Caliber 5.56/.223 WYLDE 16 in (406mm) Barrel Length Mags Included Yes Mag Type (1) 30rd Polymer Mag Semi-Auto **Action Type** 5-Position Telescoping Stock Type Barrel Material 416 Stainless Steel Drop-In Adjustable Trigger Collapsed Length 26.5 in (673mm) Trigger Weight 3.0 to 6.0 lbs Twist Ratio 1-8 twist

Forend Type
Grip Type
Receiver Finis

Receiver Finish Overall Length Overall Width Overall Height Overall Weight Threads

Accessory Rail Operating System Gas Block Size 6061-T6 Billet 15 in length

Polymer Cerakote

37.0 in (939.8mm) 1.75 in (44.45mm) 7.0 in (177.8mm) 6 lbs / 2.72 kg 1/2 in - 28 tpi MLOK

Direct Impingement 0.625 in (internal diameter)

#### COLOR

Trojan Blaze





#### OVERVIEW WALL The TFA Wall ILAND, chambered in 5.56 NATO DR .300 Blackout, offers the same features and reliability as the TFA WALL in an AR pistol platform. Configured with TFA signature WALL components, along with the SBA PDW brace, 4150 chrome moly 7.5" barrel, adjustable (3-6lb) single stage trigger, black nitride BCG NiB bolt, 7075 billet aluminum upper/lower receiver set, fixed .750 DI gas ILAND block, pistol length gas system, TFA aerospace aluminum grade M-LOK rail. Gen III ambi Nitrided mil-spec BCG Free floating M-LOK with a Nickle Boron charging handle GEN II hand guard Pistal length SB Tactical coated bolt assembly PDW brace gas system Proprietary low / profile gas block Tension set screw with matching lock screw to maintain tightness CNC machined. 4150 chromoly 7075-T6 aircraft of upper and lower match set steel barrel with billet aluminum polygonal rifling (lower, upper) Ergonomic GEN I flash hider pistol grip Drop-In Apollo single stage Nitrided trigger

group (Available in straight or curved

configuration)

#### SPECS

Magazine Included Magazine Type Action Type Stock Type Barrel Material

Trigger Collapsed Length Trigger Weight

Forend Type

Caliber Barrel Length Twist Ratio (1) 30rd Polymer Mag Semi-Auto 3-Position Telescoping Chromoly Steel Drop-In Adjustable 24.0 in (609mm) 3.0 to 6.0 lbs

6061-T6 Billet 7.3 in length

#### CONFIG. 1

5.56 NATO 7.5 in (0.30mm) 1-7 twist

Yes

Grip Type Receiver Finish Overall Length

Overall Length
Overall Width
Overall Height
Overall Weight
Barrel Threads
Accessory Rail

Operating System

CONFIG. 2

Caliber 30 Barrel Length 10. Twist Ratio 1-8

300 BLK 10,5 in (0,42mm) 1-8 twist

Direct Impingement

Polymer

Cerakote

27.25 in (692.15mm)

1.75 in (44.45mm)

7.0 in [177.8mm]

6.11 lbs (2.77 kg)

1/2 in - 28 tpi

M-LOK

#### COLORS



Comes with 30rd

magpul pmag



## RAZE

#### OVERVIEW

The TFA Raze, chambered in 9mm, is the ideal PCC (Pistol Caliber Carbine) for those looking to get into competitive shooting as well as those who want a rifle platform, without the recoil or cost of rifle ammunition. Adjustable 3-6lb trigger, equipped with TFA proprietary features, which maximizes the reliability with integrated barrel feed ramps and reinforced ejectors. The Raze is compatible with all Glock style Magazines.



#### SPECS

Caliber 9x19mm 16 In (406mm) Barrel Length Action Type Semi-Auto 5-Position Telescoping Stock Type Chromoly Steel Barrel Material Trigger

Drop-In Adjustable Collapsed Length 26.5 in (673mm) Trigger Weight 3.0 to 6.0 lbs 1-10 twist Twist Ratio

Forend Type 6061-T6 Billet 15 in length

Grip Type Receiver Finish Overall Length

37.0 in (939.8mm) **Dverall Width** 1.75 in [44.45mm] 7.0 in [177.8mm] Overall Height Overall Weight 6.10 lbs / 2.77 kg Threads 1/2 in - 28 tpi M-LOK Accessory Rail Operating System Blowback

Polymer

Cerakote

COLORS Black Gray



#### CONFIG. 1

Magazine Type: Glock compatible (pictured)

## RAZE

#### OVERVIEW

The TFA Raze ILAND, chambered in 9mm, is the pistol variation of the TFA RAZE. The Raze ILAND is the perfect light-weight pistol that is compact enough to easily be stored in a back-pack, oversized bag, by the nightstand, or in the trunk of a car for personal defense. Adjustable 3-6lb trigger, equipped with TFA proprietary features, which maximizes the reliability with integrated barrel feed ramps and reinforced ejectors. The Raze ILAND is compatible with all Glock style magazines.



#### SPECS

Caliber 9x19mm 7.5 in (190.5mm) Barrel Length Semi-Auto Action Type Stock Type 5-Position Telescoping Barrel Material Chromoly Steel Drop-in Adjustable Trigger Collapsed Length 26.5 in [673mm] Trigger Weight 3.0 to 6.0 lbs 1-10 twist Twist Ratio

6061-T6 Billet 7.5 in length

Grip Type
Receiver Finish
Overall Length
Overall Width
Overall Height
Overall Weight
Threads
Accessory Rail
Operating System

Polymer Cerakote 37.0 in (939.8mm) 1.75 in (44.45mm) 7.0 in (177.8mm) 6.10 lbs / 2.77 kg 1/2 in - 28 tpi M-LOK Blowback

# Black Gray



#### CONFIG. 1

Forend Type

Magazine Type: Glock compatible (pictured)





Carbon Steel 3 Chamber Adjustable Muzzle Brake



Stainless Steel 3 Chamber Adjustable Muzzle Brake





AR-15 Keymod Handrail GEN III



Ar-15 Handrail Gen II







